


FIG. 1



- 1 the body
- 2 coin inserting aperture
- 4 sorting unit
- 5 holding unit
- 6B storing cylinder
- 6C storing cylinder
- 6D storing cylinder
- 6 coin storing unit
- 7 coin repayment unit
- 8 holding cylinder
- 8A holding cylinder
- 8B holding cylinder
- 8C holding cylinder
- 8D holding cylinder
- 9 sorting device
- 10 10 yen coin storing cylinder
- 40 magnetic sensor
- 41 coin passage
- 42 genuineness sorting gate
- 43 first gate
- 44 second gate
- 45 third gate
- 46 fourth gate

FIG. 2






FIG. 3



- | | | | |
|-----|---------------------|-----|--------------------------|
| 12 | wiper | 18 | rotary pulley |
| 16 | coin catching plate | 18A | projection |
| 16A | hole | 19 | gear of pulley |
| 16B | slope portion | 20 | plate |
| 16C | slide groove | 20A | straight bevel bar |
| | | 20B | rectangle hole |
| | | 21 | drive gear |
| | | 21A | guide bar |
| | | 22 | first transmission gear |
| | | 23 | second transmission gear |
| | | 24A | pinion gear |


3	coins	20	plate
<u>5</u>	holding unit	20A	straight beret gear
8	holding cylinder	25	take-in passage
9	sorting device	26	slope shoot
11	receiving member	26A	concave portion
11A	concave portion	29	damper
<u>12</u>	wiper	29A	rotation shaft
<u>13</u>	coin storing passage	29B	fitting
14	repayment passage	30	solenoid
15	guide shoot	30A	force-giving spring
16	coin catching plate	31	arm
16B	slope portion		
16C	slide groove		
18	rotary pulley		
18A	projection		
19	gear of pulley		

FIG. 5



- | | | | |
|-----------|----------------------|-----------|---------------------|
| 3 | coins | 20 | plate |
| 8 | holding cylinder | 20A | straight beret gear |
| 9 | sorting device | <u>25</u> | take-in passage |
| 11 | receiving member | 26 | slope shoot |
| 11A | concave portion | 26A | concave portion |
| <u>12</u> | wiper | 29 | damper |
| <u>13</u> | coin storing passage | 29A | rotation shaft |
| 14 | repayment passage | 29B | fitting |
| 15 | guide shoot | 30 | solenoid |
| 16 | coin catching plate | 30A | force-giving spring |
| 16A | hole | 31 | arm |
| 16B | slope portion | | |
| 16C | slide groove | | |
| 18 | rotary pulley | | |
| 18A | projection | | |
| 19 | gear of pulley | | |


6/12
FIG. 6




- | | | | |
|-----|----------------------|-----|---------------------|
| 3 | coins | 20 | plate |
| 8 | holding cylinder | 20A | straight bevel gear |
| 9 | sorting device | 25 | take-in passage |
| 11 | receiving member | 26 | slope shoot |
| 11A | concave portion | 26A | concave portion |
| 12 | wiper | 29 | damper |
| 13 | coin storing passage | 29A | rotation shaft |
| 14 | repayment passage | 29B | fitting |
| 15 | guide shoot | 30 | solenoid |
| 16 | coin catching plate | 30A | force-giving spring |
| 16A | hole | 31 | arm |
| 16B | slope portion | | |
| 16C | slide groove | | |
| 18 | rotary pulley | | |
| 18A | projection | | |
| 19 | gear of pulley | | |

001060" 886E9960

FIG. 7



- | | | | |
|----------|--------------------------|-----------|-----------------------|
| 3 | coins | 56C | slide groove |
| <u>8</u> | holding cylinder | <u>58</u> | drive system |
| 8A | holding cylinder | 58A | rotary pulley |
| 8B | holding cylinder | 58B | guide bar |
| 9B | sort and take-out device | 59 | coin receiving member |
| 56 | coin catching plate | 61A | passage for pole |
| 56A | hole | 62 | supporting plate |
| 56B | concave portion | 63 | solenoid |
| | | 64 | force-giving spring |

FIG. 8

3	coins	59	coin receiving member
8A	holding cylinder	59A	coin receiving part
9B	sort and take-out device	59B	stopping pole
51	receipt-for-storing member	60	fitting plate
52	wiper	61	blocking plate
53	coin storing passage	61A	passage for pole
54	repayment passage	62	supporting plate
55	guide shoot		
56	coin catching plate		
56A	hole		
56B	concave portion		
56C	slide groove		
57	moving member		
57A	fitting plate		
<u>58</u>	drive system		
58A	rotary pulley		
58B	guide bar		








FIG. 12



- | | |
|-----|---------------------|
| 52 | wiper |
| 56 | coin catching plate |
| 56A | hole |
| 56B | concave portion |
| 57 | moving member |
| 59 | receiving member |
| 59A | coin receiving part |
| 59B | stopping pole |
| 60 | fitting plate |

- | | | | |
|-----------|----------------------------|-----------|-----------------------|
| 3 | coins | 57 | moving member |
| 8A | holding cylinder | 57A | fitting plate |
| 9 | sort and take-out device | <u>58</u> | drive system |
| 51 | receipt-for-storing member | 58A | rotary pulley |
| <u>52</u> | wiper | 58B | guide bar |
| 53 | coin storing passage | 59 | coin receiving member |
| 54 | repayment passage | 59A | coin receiving part |
| 55 | guide shoot | 59B | stopping pole |
| 56 | coin catching plate | 62 | supporting plate |
| 56A | hole | | |
| 56B | concave portion | | |
| 56C | slide groove | | |

FIG. 14



- | | | | |
|-----------|----------------------------|-----|-----------------------|
| 3 | coins | 59 | coin receiving member |
| 8A | holding cylinder | 59A | coin receiving part |
| 9B | sort and take-out device | 59B | stopping pole |
| 51 | receipt-for-storing member | 61 | blocking plate |
| <u>52</u> | wiper | 62 | supporting plate |
| 53 | coin storing passage | | |
| 54 | repayment passage | | |
| 55 | guide shoot | | |
| 56 | coin catching plate | | |
| 56A | hole | | |
| 56B | concave portion | | |
| 56C | slide groove | | |
| 57 | moving member | | |
| <u>58</u> | drive system | | |
| 58A | rotary pulley | | |
| 58B | guide bar | | |